



LONDON

London è la prima serie
in Gres Porcellanato 20x20
di Ceramica Faetano.

Una serie che traduce in linguaggio contemporaneo il fascino delle tradizionali piastrelle in ceramica con le sue trame floreali e motivi geometrici, per pavimenti e rivestimenti destinati a durare per secoli. La collezione è caratterizzata da 5 decori venduti separatamente e da 4 colori di base in abbinamento.

First Gres Porcelain collection
by Ceramica Faetano in the size 20x20.

It translates all the charm
of traditional decorated cement tiles
into a contemporary language,
with his floral and geometric patterns,
suitable for lifetime durable floorings and wall coverings.
The collection is characterized by
5 different decos, sold individually,
matching 4 field colors tile.



ho - Whitechapel - Notting Hill - Mayfair



LD 10 - Camden - Soho - Whitechapel - Notting Hill - Mayfair



◀ Pavimento / Floor: Notting Hill
Rivestimento / Wall: Soho





Whitechapel - Notting Hill - Mayfair



Pavimento / Floor: LD 10 - Notting Hill
Rivestimento / Wall: LD 2











Whitechapel








20LD02
LD 2 / Ciano
20x20 cm 8x8 in
□067



20LD00CAA
Camden
20x20 cm 8x8 in
□092



20LD00WHA
Whitechapel
20x20 cm 8x8 in
□092



20LD00SOA
Soho
20x20 cm 8x8 in
□092



20LD00NHA
Notting Hill
20x20 cm 8x8 in
□092



20LD09
LD 9 / Tortora
20x20 cm 8x8 in
□067



Camden
sample layout 4x4 tiles



Whitechapel
sample layout 4x4 tiles



Soho
sample layout 4x4 tiles



Notting Hill
sample layout 4x4 tiles

SHADE VARIATION			
LOW	MODERATE	HIGH	RANDOM

FIRE

LA PORCELLANA SMALTATA



SPESORE



RESISTENZA AL GELO



ASSORBIMENTO D'ACQUA
CAMPO D'IMPIEGO CONSIGLIATO



RESISTENZA CHIMICA
RESISTENZA SCIVOLANTE

THE GLAZED PORCELAIN

THICKNESS

FROST RESISTANCE

WATER ABSORPTION

RECOMMENDED USE

CHEMICAL RESISTANCE
SLIPPING

GLASIERTES FEINSTEINZEUG

STAERKE

FROSTBESTÄNDIGKEIT

WASSERAUFAHME

BESTÄNDIGKEIT GEGEN CHEMIKALIEN
RUSTICITY

LA PORCELAINE EMAILÉE

ÉPAISSEUR

RESISTANCE AU GEL

ABSORPTION D'EAU

PIECE D'EMPLOI CONSEILLÉE
RESISTANCE CHIMIQUE



Price codes: Mq. Ml. Pieces

8,5 mm **RESISTANT**
ISO 10545.12

~0,1%
ISO 10545.3



GA
UNI EN ISO 10545.13

5
UNI EN ISO 10545.14

DIN 51

DIN 51

ANSI 1

BCRA